

TECHNICAL DATA SHEET	code	7785ANH
	version	4
	date	2011-08-16
Triax 14 Camera Cable FRNC	page	1/2


#### **APPLICATION**

Triaxial camera cable used to interconnect video cameras to related equipment.

### **DESCRIPTION**

Triaxial camera cable: 14.5 mm triax with stranded center conductor and flexible FRNC jacket.

#### **CONSTRUCTION**



1. Conductor

Material Stranded, silver plated copper Diameter 2.2 mm (7x0.75 mm)

2. Insulation

Material Foam polyethylene Diameter over insulation  $9.7 \pm 0.2 \text{ mm}$ 

3. Inner shield

Material Silver plated copper braid Nominal coverage 80% Diameter over braid 10.4 mm nominal

4. Inner jacket

Material FRNC Diameter over jacket  $11.9 \pm 0.2 \text{ mm}$ 

5. Outer shield

MaterialBare copper braidNominal coverage80%Diameter over braid12.6 mm nominal

6. Outer jacket

Material FRNC Diameter over jacket  $14.5 \pm 0.2 \text{ mm}$ 



TECHNICAL DATA SHEET	code	7785ANH
	version	4
	date	2011-08-16
Triax 14 Camera Cable FRNC	page	2/2

# **REQUIREMENTS AND TEST METHODS Electrical:**

Electrical:		
Nominal impedance		75 Ohms
Nominal capacitance con	ductor to shield @ 1 kHz	55 pF/m
Nominal velocity of prop	pagation	81%
Nominal conductor DC re	esistance @ 20°C	5.7 Ohm/km
Nominal shield DC resist	tance @ 20°C: Inner shield	6.4 Ohm/km
	Outer shield	4.1 Ohm/km
Minimum structural retur	rn loss @ 5-850MHz	21 dB
Screening attenuation @	30 to 850 MHz	75 dB
Nominal attenuation @	1 MHz	0.4  dB/100m
	10 MHz	1.3 dB/100m
	20 MHz	1.7 dB/100m
	40 MHz	2.5 dB/100m
	50 MHz	2.8  dB/100m
	60 MHz	3.1 dB/100m
	100 MHz	4.2 dB/100m
	270 MHz	7.0  dB/100m
	300 MHz	7.6 dB/100m
	540 MHz	10.1 dB/100m
	1000 MHz	14.3 dB/100m

## Mechanical and physical:

Temperature rating (installation)	-5 to $+70$ °C
Temperature rating (operating/storage)	$-30 \text{ to } +70 ^{\circ}\text{C}$
Minimum bending radius (without pulling tension)	150 mm
Maximum pulling tension	550 N



Belden declares this product to be in compliance with the environmental regulations EU RoHS (Directive 2002/95/EC, 27 January 2003); this is valid for all material produced after the RoHS compliant date for this product.